WO 2005/074528 PCT/US2005/002617

CLAIMS

The invention claimed is:

1. A composition comprising $R_F(R_T)_nQ$, wherein:

the R_F group comprises at least four fluorine atoms;

5 the R_T group comprises at least one C-2 group having at least one pendant -CF₃ group;

n is at least 1; and

the Q group comprises one or more atoms of the periodic table of elements.

- 2. The composition of claim 1 wherein the R_F group comprises at least one
- 10 -CF₃ group.
 - 3. The composition of claim 1 wherein the R_F group comprises at least two $-CF_3$ groups.
 - 4. The composition of claim 3 wherein the R_F group comprises -CF(CF₃)₂.
 - 5. The composition of claim 1 wherein the R_F group comprises -C₆F₁₃.

- 15 6. The composition of claim 1 wherein the R_T group comprises CF₃.
 - 7. The composition of claim 1 wherein n is at least 2 and the composition

$$R_F(CH_2-CH-CH_2-CH)Q$$
 comprises CF_3 CF_3

8. The composition of claim 1 wherein n is at least 2 and the composition comprises

$$\begin{picture}(1,0) \put(0,0){\line(0,0){100}} \put(0,0){\line(0,0){100}$$

20 9. The composition of claim 1 wherein the Q group comprises a halogen.

$$R_F(R_1-CH)_nQ$$
 $Q(R_1-CH)_nR_F$

10. A composition comprising one or both of ${\sf CF}_3$ and ${\sf CF}_3$, wherein:

the R_F group comprises at least four fluorine atoms;

the R₁ group comprises at least one carbon atom;

n is at least 1; and

- 25 the Q group comprises one or more atoms of the periodic table of elements.
 - 11. The composition of claim 10 wherein the R_F group comprises at least two -CF₃ groups.
 - 12. The composition of claim 10 wherein the R₁ group consists of -CH₂-.
 - 13. The composition of claim 10 wherein n is equal to 1 and the composition comprises $R_F(R_1\text{-CH})Q$

30 CF₃

14. The composition of claim 10 wherein the Q group comprises at least one halogen.

15. A composition comprising:

 $R_{CI}(R_T)_nH$, wherein:

the R_{Cl} group comprises at least -CCl₃;

the R_T group comprises at least one C-2 group having at least one pendant -

5 CF₃ group; and

n is at least 1.

16. The composition of claim 15 wherein n is at least 2 and the composition comprises $R_{Cl}(CH_2\text{-}CH\text{-}CH_2\text{-}CH)H$

17. The composition of claim 15 wherein n is at least 2 and the composition comprises

$$\mathsf{CF}_3$$
 $\mathsf{R}_{\mathsf{Cl}}(\mathsf{CH}_2\text{-}\mathsf{CH-CH-CH}_2)\mathsf{H}$
 CF_3

10

30

- 18. A telomerization process comprising exposing at least one CF₃-comprising taxogen to a fluorine-comprising telogen to produce a telomer, wherein the fluorine-comprising telogen comprises at least four fluorine atoms.
- 19. The process of claim 18 wherein the CF₃-comprising taxogen is trifluoropropene.
- 15 20. The process of claim 18 wherein the fluorine-comprising telogen is (CF₃)₂CFI.
 - 21. The process of claim 18 wherein the exposing the CF_3 -comprising taxogen to the fluorine-comprising telogen is in the presence of an initiator.
 - 22. The process of claim 21 wherein the initiator comprises a peroxide.
 - 23. The process of claim 22 wherein the peroxide comprises di-tert-butyl peroxide.
- 20 24. The process of claim 22 wherein the exposing occurs within a reactor and the initiator and telogen are provided to the reactor, a mole ratio of the initiator to the telogen being between about 0.001 and about 0.05.
 - 25. The process of claim 24 wherein the mole ratio of the initiator to the telogen is between about 0.01 and about 0.03.
- 25 26. The process of claim 19 wherein the exposing occurs within a reactor, a temperature within the reactor during the exposing being from about 130°C to about 150°C.
 - 27. The process of claim 18 wherein:

the CF₃-comprising taxogen is trifluoropropene; and

$$R_F(CH_2-CH)_nQ$$

the telomer comprises

CF₃, wherein:

the R_F group comprises at least four fluorine atoms;

n is at least 1; and

the Q group comprises one or more atoms of the periodic table of elements.

WO 2005/074528 PCT/US2005/002617

28. The process of claim 18 wherein:

the CF₃-comprising taxogen is trifluoropropene;

the fluorine-comprising telogen is (CF₃)₂CFI; and

a mole ratio of the taxogen to the telogen is from about 2:1 to about 4:1.